

### Delmhorst® J-Series Compact Wood Moisture Meters

These compact meters allow quick, easy, and accurate tests for both surface and core (requires optional electrode sold separately) moisture content of wood. Simply insert the contact pins into wood and press the read button. Moisture content is instantly displayed. Use the integral contact pins (included) to penetrate 5/16" for up to 6/4 stock. Attach any optional Delmhorst electrode through the built-in port for greater versatility on heavier stock. Available in three models...

[Full Description](#)

1461


**Model J-2000** Results are displayed on a digital LCD readout. Meter features a microcontroller circuit that corrects for individual species and temperature and will display the average and highest of up to 100 stored readings. Backed by Delmhorst for one year. Moisture content range: 6% to 40% with 0.1% resolution.

QTY	ITEM #	DESCRIPTION	SHIP WT.	PRICE
0	79442	Model J-2000	2.0 POUNDS	\$239.95

**Model J-LITE** Results are displayed by 12 bright LEDs -- perfect for direct sunlight or dark areas. Backed by Delmhorst for three years. Moisture content range: 6% to 30%.

QTY	ITEM #	DESCRIPTION	SHIP WT.	PRICE
0	79443	Model J-LITE	2.0 POUNDS	\$129.95

**Model J-4** Read moisture level results using this meter's analog readout. Species and temperature correction charts included. Backed by Delmhorst for one year. Moisture content range: 6% to 30%.

QTY	ITEM #	DESCRIPTION	SHIP WT.	PRICE
<input type="text" value="0"/>	79424	Model J-4	2.0 POUNDS	\$169.95
<div><div>ADD TO CART</div></div>				

### Delmhorst® J-Series Compact Wood Moisture Meters

These compact meters allow quick, easy, and accurate tests for both surface and core (requires optional electrode sold separately) moisture content of wood. Simply insert the contact pins into wood and press the read button. Moisture content is instantly displayed. Use the integral contact pins (included) to penetrate 5/16" for up to 6/4 stock. Attach any optional Delmhorst electrode through the built-in port for greater versatility on heavier stock. Available in three models, all include 6 extra contact pins, protective carrying case, and instruction manual. Battery: 9V alkaline battery (included). Dimensions: 7-1/2" x 3" x 1-3/4".

[Back to top](#)



### Electrodes For All Delmhorst Moisture Meters

Model RC-1E (79341), J-Series (79442, 79443, 79424) and Model BD-10 (79422)

1462

**Type 26-ES Two-Pin Hammer Probe Electrode** 1-1/8" penetration. Sliding hammer action on a 10" steel shaft. For measuring moisture gradient shell and core tests and for testing dry stock which may be wet on the surface.

QTY	ITEM #	DESCRIPTION	SHIP WT.	PRICE
<input type="text" value="0"/>	79339	Insulated Electrode	3.3 POUNDS	\$79.95
<input type="text" value="0"/>	79331	Replacement Pins, Pack of 10	2.0 OUNCES	\$14.95

**Type 18-ED Two-Pin Hammer Probe Electrode** 3-1/4" penetration. Similar to Model 26-ES Electrode above except with sliding hammer action on a 17" steel shaft. For measuring moisture content of timbers, poles and ties. Also features a depth gauge which shows penetration.

QTY	ITEM #	DESCRIPTION	SHIP WT.	PRICE
<input type="text" value="0"/>	79344	Insulated Electrode	3.5 POUNDS	\$105.00
<input type="text" value="0"/>	79333	Replacement Pins, Pack of 4	2.0 OUNCES	\$31.25

**Type 2-E Two-Pin Electrode** 5/16" penetration. For use on wood, plaster, masonry, etc.

QTY	ITEM #	DESCRIPTION	SHIP WT.	PRICE
<input type="text" value="0"/>	79423	Type 2-E Two-Pin Electrode	10.0 OUNCES	\$52.00
<input type="text" value="0"/>	79356	Replacement Pins w/retainers, Pack of 24	4.0 OUNCES	\$25.00

**Type 21-E Two-Pin Electrode** 3-1/4" penetration. Use on roofs, insulation, or for any tests deep below the surface. Pins are Teflon® coated except for tips.

QTY	ITEM #	DESCRIPTION	SHIP WT.	PRICE
<input type="text" value="0"/>	79425	Type 21-E Two-Pin Electrode	10.0 OUNCES	\$65.00
<input type="text" value="0"/>	79333	Replacement Pins, Pack of 4	2.0 OUNCES	\$31.25

**Type 42-EB Two-Pin Electrode** 3/8" penetration, 3' long T-handle. For measuring content of boards in stacks or piles.

QTY	ITEM #	DESCRIPTION	SHIP WT.	PRICE
<input type="text" value="0"/>	79345	Non-Insulated Electrode	2.0 POUNDS	\$155.00
<input type="text" value="0"/>	79334	Replacement Pins, Pack of 10	1.0 OUNCES	\$18.75

**Type 4-E Four-Pin Electrode** 5/16" penetration. For determining moisture content of air dried hardwood or softwoods or kiln dried boards.

QTY	ITEM #	DESCRIPTION	SHIP WT.	PRICE
<input type="text" value="0"/>	79342	Non-Insulated Electrode	10.0 OUNCES	\$55.00

**Type 15-E Eight-Pin Electrode** 1/8" penetration. For measuring moisture content of any species or type of veneer.

QTY	ITEM #	DESCRIPTION	SHIP WT.	PRICE
-----	--------	-------------	----------	-------

---

<input type="text" value="0"/>	<b>79343</b>	Insulated Electrode	15.0 OUNCES	<b>\$65.00</b>
<input type="text" value="0"/>	<b>79332</b>	Replacement Pins, Pack of 24	2.0 OUNCES	<b>\$4.50</b>

**ADD TO CART**